


Cisco Duo Configuration


Check Point VPN

Please follow the below steps to configure Duo MFA with Check Point.


- Right-click on the Check Point icon in the system tray, select **Disconnect**



- Right-click on the Check Point icon again and select **Connect**
- Click **Change Login Option Settings** in the bottom right corner

A screenshot of the 'Check Point Endpoint Security' authentication dialog box. The window title is 'Check Point Endpoint Security'. The main header is 'Endpoint Security' with the Check Point logo and 'SOFTWARE TECHNOLOGIES LTD.' on the right. Below the header, there is a 'Site:' label and a dropdown menu currently showing 'City'. Underneath is a section titled 'Authentication' with a horizontal line. Below that, the text 'Please provide a user name and password to authenticate' is displayed. There are two input fields: 'Username:' and 'Password:'. To the right of these fields is a graphic of a yellow padlock and a globe. At the bottom of the dialog are three buttons: 'Connect', 'Cancel', and 'Help'. Below the dialog box, a status bar shows 'Selected Login Option: Duo Radius' and a red arrow pointing to a blue link labeled 'Change Login Option Settings'.

- Select the **Duo Radius** option and click **OK**



- Enter your username and Windows password, and click **Connect** to receive a push notification in your Duo client

Check Point Endpoint Security

Endpoint Security

Check Point
SOFTWARE TECHNOLOGIES LTD.

Site: City

Authentication

Please provide a user name and password to authenticate

Username:

Password:

Connect Cancel Help

Selected Login Option: Duo Radius [Change Login Option Settings](#)

***If you prefer a different DUO option place a ,method (**no space**) after your password.

1. Password,Phone
2. Password,Sms
 - Please note, the first connection attempt with SMS option will fail, but a Duo code will be sent via SMS. Upon second connection attempt, add the SMS code with a comma directly after your password. (Example = Password,1234567 ***no spaces before or after the comma***)
3. Password,Tokencode

If any issues are encountered, please contact HP Support at techsupport@highpointnc.gov or <https://techsupport.highpointnc.gov>.